EAST SEARCH

6/24/04

世	Hits	Search String Databases
[1	14342	DERWENT;
1	14404	DERWENT;
L 3	1243	
7	43	DERWENT;
L 5	54	EPO; JPO; DERWENT; 1
9 7	က	EPO; JPO; DERWENT; I
L7	က	(circ. USPAT; US-PGPUB; EPO; JPO; DERWENT; I
87	7	USPAT; US-PGPUB; EPO; JPO; DERWENT; I
67	4	EPO; JPO; DERWENT;
L10	-	EPO; JPO;
L11	30	EPO; JPO; DERWENT; I
L12	64	EPO; JPO;
L13	-	EPO; JPO; DERWENT;
L14	છ .	EPO; JPO; DERWENT;
L15	9	r (processing adj unit)) with (power near2 (circt USPAT; US-PGPUB; EPO; JPO; DERWENT; I
L16	63	US-PGPUB; EPO; JPO; DERWENT;
L17	17	US-PGPUB; EPO; JPO; DERWENT;
L18	166	EPO; JPO; DERWENT;
	21	US-PGPUB; EPO; JPO; DERWENT; I
	59625	USPAT; US-PGPUB; EPO; JPO; DERWENT;
L21	265	US-PGPUB; EPO; JPO; DERWENT; IBM_
L22	9	EPO; JPO; DERWENT; IBM_
L23	15	EPO; JPO; DERWENT; I
L24	7	US-PGPUB; EPO; JPO; DERWENT; I
L25	7	US-PGPUB; EPO; JPO; DERWENT; IBM_
L26	ည	rolle USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_
L27	_	eading edge") USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_
L28	-	US-PGPUB; EPO; JPO; DERWENT; IBM_
L29	4	US-PGPUB; EPO; JPO; DERWENT; I
L30	30	US-PGPUB; EPO; JPO; DERWENT; IBM_
L31	7	EPO; JPO; DERWENT; IBM_
L32	7	EPO; JPO;
L33	ည	transistor description with (format or model)
09/819198		Claude Gauthier et al.

EAST SEARCH

6/24/04

near		
apacitor)		
tance or c		
(capacit		
with (
nodel\$1)		
near2 n		
resistor	1)	
ce or	\$labo	
istano	1))) m	
((res	tem\$	
with	or sys	
nodel\$1	nti-resonance near2 (circuit\$1 or sy	
ar2 mo	ar2 (cir	
or ne	e ne	
nsist	onand	
tran:	i-resol	
t L24	((an	
th se		
searc		
s of		
Result		

Results of search set L24	::(transistor near2 model\$1) with ((resistance or resistor) near2 model\$1) with ((cap: i-resonance near2 (circuit\$1 or system\$1))) model\$1)	citance or capacito	
Document Kind Codes	in a standard and a s	Ssue Date Current	Current OR Abstract
	ominiation method Method and anomana product for evaluating a circuit	20031023 703/13	0 <u>7</u>
	Fixed termination scheme for differential receiver that compensates for process, voltage, and	20030724 455/282	182
	Low noise analog multiplier utilizing nonlinear local feedback elements	20030213 327/359	59
	Method and apparatus for preparing a simulation model semiconductor integrated circuit at pc	20021024 716/5	
¥	Read/write system with reduced write-to-read transition recovery time independent from input	20020530 360/66	9
Ā	Power model for EMI simulation to semiconductor integrated circuit, method of designing the	20020131 327/158	58
	Read/write system with reduced write-to-read transition recovery time independent from input	20040413 360/66	9.
	Low noise analog multiplier utilizing nonlinear local feedback elements	20030909 327/359	159
	Method and apparatus for preparing a simulation model for semiconductor integrated circuit a	20030902 716/5	
	Precision trim circuit for delay lines	20010320 327/276	76
	Lighting system, apparatus, and method	20010116 362/101	01
	Model for taking into account gate resistance induced propagation delay	20000829 716/1	
	Vehicle turn signal control system and method	19980804 340/475	75
	Method and apparatus for generating instruction/data streams employed to verify hardware in	19980630 700/86	9
	Device and method for calculating delay time	19970610 716/5	
	Transistor-level timing and simulator and power analyzer	19960903 703/14	4
	Analysis mechanism for system performance simulator	19960820 703/6	
	Method to assess electromigration and hot electron reliability for microprocessors	19960702 714/55	55
	Transistor-level timing and power simulator and power analyzer	19950829 703/19	6
	System for calculating and displaying user-defined output parameters describing behavior of !	19930921 703/14	4
	Layout pattern verification system	19930413 716/5	
	Method and apparatus for testing analogue circuits	19930413 324/537	37
	Optoelectronic sensory neural network	19920714 706/40	9
	Simulation model generation from a physical data base of a combinatorial circuit	19920128 716/11	<u>-</u>
	Electronically reconfigurable digital pad attenuator using segmented field effect transistors	19910917 333/81R	7R
			687
		19711207 340/462	162
	DEVICE AND METHOD FOR SIMULATING ELECTRIC CIRCUIT	20010112	
	Voltage-Controlled Oscillator.	19901001	



IEEE HOME SEARCH	IEEE SHOP WEB ACCOUNT CONTACT IEEE	⊕IEEE
	RELEASE 1.7	III III
Help FAQ Terms IEE Welcome to IEEE Xplores - Home - What Can I Access? - Log-out Tables of Contents - Journals & Magazines - Conference Proceedings - Standards	Your search matched 7 of 1046194 documents. A maximum of 500 results are displayed, 50 to a page, sorted by year in Descending order. Refine This Search: You may refine your search by editing the current search expression new one in the text box. anti resonance and simulat* Check to search within this result set Results Key:	sion or enter
Search - By Author - Basic - Advanced Member Services - Join IEEE - Establish IEEE Web Account	JNL = Journal or Magazine CNF = Conference STD = Standard 1 A bandpass sigma-delta modulator employing micro-me resonator Wang, X.; Xu, Y.P.; Wang, Z.; Liw, S.; Sun, W.H.; Tan, L.S.; Circuits and Systems, 2003. ISCAS '03. Proceedings of the 2003 Symposium on , Volume: 1 , 25-28 May 2003 Pages:I-1041 - I-1044 vol.1 [Abstract] [PDF Full-Text (293 KB)] IEEE CNF	chanical
O- Access the IEEE Member Digital Library	2 Distributed SPICE circuit model for ceramic capacitors Smith, L.D.; Hockanson, D.; Electronic Components and Technology Conference, 2001. Proceed May-1 June 2001 Pages: 523 - 528 [Abstract] [PDF Full-Text (324 KB)] IEEE CNF	edings., 51st
	3 Load speed observer-based fuzzy auto-tuning implement speed servo system with two-mass mechanical motion system experimental verification Yoshitsugu, J.; Inoue, K.; Nakaoka, M.; Industry Applications Conference, 1999. Thirty-Fourth IAS Annual	stem-

Conference Record of the 1999 IEEE , Volume: 1 , 3-7 Oct. 1999 Pages:645 - 652 vol.1

[Abstract] [PDF Full-Text (328 KB)] IEEE CNF

4 Analysis and design of AC servo motion drive control system with 2 mass mechanical resonant load

Inoue, K.; Nakaoka, M.;

Advanced Motion Control, 1996. AMC '96-MIE. Proceedings., 1996 4th International Workshop on , Volume: 2 , 18-21 March 1996
Pages: 600 - 605 vol.2

[Abstract] [PDF Full-Text (496 KB)] IEEE CNF

5 Suppression of flicker in an arc-furnace supply system by an active capacitance-a novel voltage stabilizer in power systems

Nabae, A.; Yamaguchi, M.;

Industry Applications, IEEE Transactions on , Volume: 31 , Issue: 1 , Jan.-Fel 1995

Pages:107 - 111

[Abstract] [PDF Full-Text (352 KB)] IEEE JNL

6 SAW impedance elements

Plessky, V.P.;

Pages:870 - 875

Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on , Volu

42 , Issue: 5 , Sept. 1995

[Abstract] [PDF Full-Text (352 KB)] IEEE JNL

7 Estimation of anti-resonance frequencies by using an over-determining high-order Yule-Walker equation

Yanagida, M.; Kakusho, O.;

Acoustics, Speech, and Signal Processing, IEEE International Conference on

ICASSP '86., Volume: 11, Apr 1986

Pages:601 - 604

[Abstract] [PDF Full-Text (112 KB)] IEEE CNF

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved